Butterfly Driving Bits



Arched Mouth Butterfly Bit

The Arched Mouthpiece is similar in action to a mullen mouth, but the mouthpiece curves upwards rather than forward, allowing more tongue room.

This mouthpiece is plain on one side, and ribbed on the other. Unlike other ribbed models in our range, this bit is not reversible. It comes complete with a leather curb strap for "no pinch" comfort.

Mouth	Mouth	Cheek	
Size	Thick	Length	Cat No
5" (12.5cm)	17mm	135mm	121416
5 ½" (14cm)	17mm	135mm	121418
6" (15.25cm)	17mm	135mm	121420



"White" Straight Mouth

The unique shape and material of this bit provides a softer mouthpiece, which encourages relaxation. It comes complete with a leather curb strap for "no pinch" comfort.

Mouth	Mouth	Cheek	
Size	Thick	Length	Cat No
4 ½" (11.5cm)	17mm	135mm	121424
5" (12.5cm)	17mm	135mm	121426
5 ½" (14cm)	17mm	135mm	121428



"White" Straight Mouth (Small Rings)

The unique shape and material of this bit provides a softer mouthpiece, which encourages relaxation. It comes complete with a single curb chain.

This model is very similar to the straight mouth bit pictured above, except that it has smaller, more delicately shaped rings for finer heads.

Mouth	Mouth	Cheek	
Size	Thick	Length	Cat No
4 ½" (11.5cm)	19mm	120mm	121205
5" (12.5cm)	19mm	120mm	121206
5 ½" (14cm)	19mm	120mm	121207



Low Port with Cherry Rollers

The copper rollers encourage play, while the port prevents the horse from getting his tongue over the bit. This model has fixed cheeks and comes complete with a single link curb chain.

Mouth	Cheek	
Thick	Length	Cat No
21mm	150mm	121406
21mm	150mm	121408
21mm	150mm	121410
	Thick 21mm 21mm	Thick Length 21mm 150mm 21mm 150mm

All Zilco bits are high quality 18/8 Stainless Steel, unless otherwise indicated

Driving Harness Bits

Liverpool Driving Bits _







Arched Mouth

These bits feature an arched mouthpiece that offers the horse more tongue room. Both models are reversible - with a smooth mouthpiece on one side and ribs on the other. Double link curb chain.

Fixed Cheek

The fixed cheekpiece offers a more direct action

Mouth Size	Mouth Thick	Slots	Cheek Length	Cat No
5"(12.5cm)	14mm	2	162mm	121236
5 ½" (14cm)	14mm	2	162mm	121238
6" (15.25cm)	16mm	2	165mm	121240

Sliding Cheek

The sliding cheekpiece offers more gag action and poll pressure.

Mouth	Mouth		Cheek	
Size	Thick	Slots	Length	Cat No
4 ½" (11.5cm)	13mm	2	165mm	121244
5" (12.5cm)	14mm	3	190mm	121246
5 1/2" (14cm)	14mm	3	190mm	121248
6" (15.25cm)	14mm	3	190mm	121250

Mullen Mouth

This bit is similar in action to the Arched Mouth (with Sliding cheek), but the mouthpiece curves forward in a traditional mullen style.

Mouth	Mouth		Cheek	
Size	Thick	Slots	Length	Cat No
4 ½" (11.5cm)	15mm	2	165mm	121304
5" (12.5cm)	15mm	2	190mm	121306
5 1/2" (14cm)	15mm	3	190mm	121308









White Straight Mouth

The unique shape and material provides a softer mouthpiece, which encourages relaxation. The bit comes complete with a leather curb strap for "no pinch" comfort.

Mouth	Mouth		Cheek	
Size	Thick	Slots	Length	Cat No
4 ½" (11.5cm)	15mm	2	165mm	121304
5" (12.5cm)	15mm	2	190mm	121306
5 1/2" (14cm)	15mm	3	190mm	121308

Stainless Steel Straight Mouth

This bit is reversible - with a smooth mouthpiece on one side and ribs on the other. It comes complete with a double link curb chain.

Mouth	Mouth		Cheek	
Size	Thick	Slots	Length	Cat No
4 ½" (11.5cm)	15mm	2	140mm	121314
5" (12.5cm)	17mm	2	205mm	121316
5 1/2" (14cm)	17mm	3	205mm	121318

1 Slot Straight Mouth

The sliding cheeks offer more gag action and poll pressure. This bit is reversible - with a smooth mouthpiece on one side and ribs on the other. It comes complete with a double link curb chain.

Mouth	Mouth		Cheek	
Size	Thick	Slots	Length	Cat No
4 ½" (11.5cm)	13mm	1	120mm	121254
5" (12.5cm)	13mm	1	120mm	121256
5 1/2" (14cm)	13mm	1	120mm	121258

All Zilco bits are high quality 18/8 Stainless Steel, unless otherwise indicated

Driving Harness Bits



Jointed Mouth

The plain jointed mouthpiece acts on the tongue and bars with a nutcracker action. It comes complete with a leather curb strap for "no pinch" comfort

Mouth	Mouth		Cheek	
Size	Thick	Slots	Length	Cat No
4 ½" (11.5cm)	12mm	2	165mm	121284
5" (12.5cm)	12mm	2	190mm	121286
5 1/2" (14cm)	12mm	2	190mm	121288
6" (15.25cm)	12mm	2	140mm	121290



Low Port with Cherry Rollers

The fixed cheekpieces of this model prevent pinching of the lips, and the rollers encourage play. The port offers more tongue room and prevents the horse from getting his tongue over the bit. Comes with single link curb chain.

Mouth Size	Mouth Thick	Slots	Cheek Length	Cat No
5 ½" (14cm)	21mm	2	138mm	121278
6" (15.25cm)	21mm	2	138mm	121280



High Shank with Jaw Bar

This model is designed to be used with multiples. The fixed cheek prevents pinching of the lips. The high shank offers extra leverage and poll pressure. The bottom bar is designed to prevent the reins from becoming tangled. Comes with a single link curb chain

Mouth	Mouth		Cheek	
Size	Thick	Slots	Length	Cat No
5" (12.5cm)	21mm	3	240mm	121266
5 ½" (14cm)	21mm	3	240mm	121268
6" (15.25cm)	21mm	3	240mm	121270



Half Liverpool with Curved Port Mouth

The anatomically curved mouthpiece relieves pressure on the tongue. It comes complete with a leather curb strap for "no pinch" comfort.

Mouth	Mouth	01.1.	Cheek	0.11
Size	Thick	Slots	Length	Cat No
4 ½" (11.5cm)	12mm	2	140mm	121344
5" (12.5cm)	12mm	2	165mm	121346
5 ½" (14cm)	12mm	2	210mm	121348



Military Driving Bits -



Military Bit

Also known as an "Elbow Ported Bit", this model functions similarly to a Liverpool bit, except that the cheeks are set back at a square angle at the mouth. This design stops the horse from grabbing the bit and prevents pinching of the cheeks. There are multiple settings on the shank to allow varying degrees of control. It comes complete with a double link curb chain.

This bit has ribs on one side and a smooth mouthpiece on the other.

Mouth Size	Mouth Thick	Slots	Cheek Length	Cat No
5" (12.5cm)	16mm	2	180mm	121226
5 ½" (14cm)	16mm	2	180mm	121228
6" (15.25cm)	16mm	2	180mm	121230

All Zilco bits are high quality 18/8 Stainless Steel, unless otherwise indicated